



EGAS

ESMP: NG Connection for Qalyubia (Kafr Shukr and Qaha Cities)

The impact of each activity on each receptor was assessed according to magnitude on a scale of -10 to 10, where negative values indicate a negative influence on the receptor, and importance on a scale of 0 to 10, which encompasses the probability of occurrence, frequency of the impact etc. The numbering system is used as a relative measure, where more negative numbers correspond to impacts having a higher negative magnitude. Susceptible receptors and corresponding activity are deduced and addressed if both magnitude and importance are of minor severity. As per the following table:

			Project Phases																								Assessment																
			Construction																								Operation	Construction	Operation														
Receptor Category		Component	Activities																																								
Receptor		Activities	M	I	M	I	M	I	M	I	M	I	M	I	M	I	M	I	M	I	M	I	M	I	M	I	M	I	M	I													
PHYSICAL	Soil	Transport of equipment/ machinery- truck driving																																									
		Temporary storage/unloading of equipment and materials																																									
		Site preparation: Area delineation & Fencing																																									
Air	Air	Working in outdoor environment																																									
		Excavation: intermediate pressure network																																									
		Pipe laying (PE100)																																									
Water	Water	Welding PE100																																									
		Backfilling																																									
		Excavation: low pressure PE80 connections																																									
BIOLOGICAL	Noise	Pipe laying: low pressure connections																																									
		welding PE80																																									
		Backfilling																																									
SOCIO-ECONOMIC	Flora	Household installation- carbon steel pipe threading																																									
		Household installations and working at heights																																									
		Appliance conversion																																									
TOTAL	Fauna	Leakage testing: pneumatic																																									
		Waste Generation																																									
		Gas network processing																																									
Total			-17	15	-11	13	-26	20	-6	6	-42	39	-16	13	-16	14	-20	19	-40	34	-16	13	-16	14	-20	19	-15	15	-14	12	-5	5	-12	6	-20	21	-16	5	-312	266	-16	5	
Average			-2	2	-2	2	-2	2	-6	6	-4	4	-3	2	-3	3	-3	3	-4	3	-3	2	-3	3	-3	3	-4	4	-7	6	-2	2	-6	3	-3	3	-5	2	-24	20	-1	0	



EGAS

ESMP: NG Connection for Qalyubia (Kafr Shukr and Qaha Cities)

Further, the **Buroz** Relevant Integrated Criteria and is used to determine the total importance, I, of the impact for each activity on all receptors and of the project overall.

On the basis of the value of the importance of impact, I, obtained, the severity of the impact of an activity is assessed.

Criterium	Definition	Scoring Scale
Intensity (IN)	Degree of destruction of activity on receptor	1 (lowest)-12 (highest)
Extension (EX)	Theoretical area of influence of the impact	1 (localized) – 8 (widespread)
Momentum (MO)	Period of time for manifestation of the impact	4 (immediate: <1 year) – 2 (medium: 1-5 years)- 1 (long term: > 5 years)
Persistence (PE)	Duration of the effect of the impact	1 (fleeting, < 1 year), 2 (temporary, 1-5 years), 4 (permanent, >5 years)
Reversibility (RV)	Possibility of returning to pre-activity initial conditions by rebuilding or natural means	1 (short term, < 1 year)- 2 (medium term, 1-5 years) – 4 (long term, > 5 years or irreversible)
Recoverability (MC)	Possibility of reconstruction with corrective measures	1 -2 (full and immediate recovery)- 4 (partial recovery and medium term)- 8 (unrecoverable)
Synergy (SI)	Reinforcement ability of manifested effects	1(No synergy of actions on a receptor) -2 (moderate synergism)-4 (high synergy)
Accumulation (Ac)	Progressive increase of the effect	1 (no cumulative effect)-4(cumulative effect)
Effect (EF)	Directionality of impact-the cause (action)-effect (impact)	4 (direct)- 1 (indirect)
Frequency (PR)	Regularity of manifestation of the effect	4 (continuous) – 2 (irregular)-1 (periodic)
Importance of Impact (I)	$I = \pm (3 \times IN + 2 \times EX + MO + PE + RV + SI + AC + EF + PR + MC)$	

The table below is based on the Buroz's Relevant Integrated Criteria:



EGAS

ESMP: NG Connection for Qalyubia (Kafr Shukr and Qaha Cities)

Activities	Construction														Operation and maintenance			
	Receptor	Transport of equipment/ machinery- truck driving	Temporary storage/unloading of equipment and materials	Site preparation: Area delineation & Fencing	Working in outdoor environment	Excavation: intermediate pressure network	Pipe laying (PE100)	Welding PE100	Backfilling	Excavation: low pressure PE80 connections	Pipe laying: low pressure connections	welding PE80	Backfilling	Household installations- carbon steel pipe threading	Household installations and working at heights	Appliance conversion	Leakage testing: pneumatic	Waste generation
Type of impact																		
Intensity (IN)/12	3	3	3	7	9	7	6	5	9	7	6	5	5	7	5	6	6	7
Extension (EX)/8	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4
Momentum (MO)/4	3	4	3	0	4	0	0	0	4	0	0	0	0	0	0	0	0	4
Persistence (PE)/5	1	3	2	1	4	4	4	1	4	4	4	1	2	1	1	1	1	4
Reversibility (RV)/4	1	1	1	1	4	4	4	1	4	4	4	1	1	1	1	1	1	1
Sinergy (SI)/4	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	2
Acumulation (AC)/4	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Effect (EF)/4	1	1	1	4	4	4	4	4	4	4	4	4	1	1	1	4	4	3
Frequency (PR)/4	4	1	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	1
Recoverability (MC)/8	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	2	1
Importance of impact (I)	26	26	27	39	52	42	39	30	52	42	39	30	28	33	27	39	47	43
Sub-Average (I)																		43.0
Total-Average (I)																		39.7

None/ irrelevant	0	25
Minor Severity	26	50
Medium Severity	51	75
Major Severity	76	300

